<u>Lot</u>	<u>Qty</u>	<u>Item</u>	<u>Description</u>
			Dressed Timber Slab - English Oak, 2050 x 300-350 x 36mm, vacuum kiln dry
1	1	Kiln dry English Oak slab dressed 2050x300-350x36	and heat treated for quality assurance.
			Dressed Timber Slab - English Oak, 2160 x 350-380 x 35mm, vacuum kiln dry
2	1	Kiln dry Engklish Oak slab dressed 2160x350-380x35	and heat treated for quality assurance.
			Dressed Timber Slab - English Oak, 2150 x 340-370 x 36mm, vacuum kiln dry
3	1	Kiln dry English Oak slab dressed 2150x340-370x36	and heat treated for quality assurance.
			Dressed Timber Slab - English Oak, 2060 x 350-370 x 31mm, vacuum kiln dry
4	1	Kiln dry English Oak slab dressed 2060x350-370x31	and heat treated for quality assurance.
			Dressed Timber Slab - English Oak, 1630 x 350-380 x 31mm, vacuum kiln dry
5	1	Kiln dry English Oak slab dressed 1630x350-380x31	and heat treated for quality assurance.
		Kiln dry Mountain Ash slab dressed 2050x350-	Dressed Timber Slab - Mountain Ash, 2050 x 350-550 x 45mm, vacuum kiln
6	1	550x45	dry and heat treated for quality assurance.
		Kiln dry Mountain Ash slab dressed 1480x270-	Dressed Timber Slab - Mountain Ash, 1480 x 270-360 x 40mm, vacuum kiln
7	1	360x40	dry and heat treated for quality assurance.
		Kiln dry Mountain Ash slab dressed 1780x350-	Dressed Timber Slab - Mountain Ash, 1780 x 350-420 x 32mm, vacuum kiln
8	1	420x32	dry and heat treated for quality assurance.
			Dressed Timber Slab - Mountain Ash, 1120 x 500 x 36mm, vacuum kiln dry
9	1	Kiln dry Mountain Ash slab dressed 1120x500x36	and heat treated for quality assurance.
		Kiln dry Mountain Ash slab dressed 1260x500-	Dressed Timber Slab - Mountain Ash, 1260 x 500-580 x 36mm, vacuum kiln
10	1	580x36	dry and heat treated for quality assurance.
			Dressed Timber Slab - Spruce, 1800 x 420-560 x 36mm, vacuum kiln dry and
11	1	Kiln dry Spruce slab dressed 1800x420-560x36	heat treated for quality assurance.
			Dressed Timber Slab - Camphor, 1800 x 450-480 x 38mm, vacuum kiln dry
12	1	Kiln dry Camphor slab dressed 1800x450-480x38	and heat treated for quality assurance.
			Dressed Timber Slab - Camphor, 1760 x 420-470 x 38mm, vacuum kiln dry
13	1	Kiln dry Camphor slab dressed 1760x420-470x38	and heat treated for quality assurance.
			Dressed Timber Slab - Camphor, 1750 x 370-450 x 38mm, vacuum kiln dry
14	1	Kiln dry Camphor slab dressed 1750x370-450x38	and heat treated for quality assurance.
		Kiln dry Spotted Gum slab dressed 1560x250-	Dressed Timbe Slab - Spotted Gum, 1560 x 250-270 x 35mm, vacuum kiln dry
15	1	270x35	and heat treated for quality assurance.

		•	•
		Kiln dry Spotted Gum slab dressed 1750x285-	Dressed Timber Slab - Spotted Gum, 1750 x 285-300 x 33mm, vacuum kiln
16	1	300x33	dry and heat treated for quality assurance.
		Kiln dry Spotted Gum slab dressed 1260x320-	Dressed Timber Slab - Spotted Gum, 1260 x 320-400 x 37mm, vacuum kiln
17	1	400x37	dry and heat treated for quality assurance.
			Dressed Timber Slab - Cypress Pine, 1675 x 210-270 x 42mm, vacuum kiln
18	1	Kiln dry Cypress Pine dressed 1675x210-270x42	dry and heat treated for quality assurance.
		Kiln dry 2x Messmate slabs dressed 1660x260-	2 x Dressed Timber Slabs - Messmate (figured, fiddleback), 1660 x 260-360 x
19	1	360x55	55mm, vacuum kiln dry and heat treated for quality assurance.
			Dressed Timber Slab - Camphor, 2120 x 1100-1140 x 37mm, vacuum kiln dry
20	1	Kiln dry Camphor slab dressed 2120x1100-1140x37	and heat treated for quality assurance.
			Dressed Timber Slab - Camphor, 1855 x 600-640 x 40mm, vacuum kiln dry
21	1	Kiln dry Camphor slab dressed 1855x600-640x40	and heat treated for quality assurance.
		Kiln dry Camphor slab dressed 2090x600-	Dressed Timber Slab - Camphor, 2090 x 600-650 x 40mm, vacuum kiln dry
22	1	650mmx40	and heat treated for quality assurance.
		Kilndry figured SpottedGum dressed 2010x375-	Dressed Timber Slab - Spotted Gum (figured, fiddleback), 2010 x 375-615 x
23	1	615x43	43mm, vacuum kiln dry and heat treated for quality assurance.
			Dressed Timber Slab - Mahogany, 2050 x 280-370 x 44mm, vacuum kiln dry
24	1	Kiln dry Mahogany slab dressed 2050x280-370x44	and heat treated for quality assurance.
			Dressed Timber Slab - Mahogany, 2050 x 290-360 x 38mm, vacuum kiln dry
25	1	Kiln dry Mahogany slab dressed 2050x290-360x38	and heat treated for quality assurance.
			Dressed Timber Slab - Mahogany, 2050 x 240-340 x 44mm, vacuum kiln dry
26	1	Kiln dry Mahogany slab dressed 2050x240-340x44	and heat treated for quality assurance.
			Dressed Timber Slab - Mahogany, 2050 x 300-370 x 38mm, vacuum kiln dry
27	1	Kiln dry Mahogany slab dressed 2050x300-370x38	and heat treated for quality assurance.
		Kiln dry Mountain Ash slab dressed 1950x240-	Dressed Timber Slab - Mountain Ash, 1950 x 240-250 x 54mm, vacuum kiln
28	1	250x54	dry and heat treated for quality assurance.
			Dressed Timber Slab - Mahogany, 1560 x 325-400 x 35mm, vacuum kiln dry
29	1	Kiln dry Mahogany slab dressed 1560x 325-400x35	and heat treated for quality assurance.

			Dressed Timber Slab - Mahogany, 1615 x 340-500 x 35mm, vacuum kiln dry
30	1	Kiln dry Mahogany slab dressed 1615x340-500x35	and heat treated for quality assurance.
			Dressed Timber Slab - Mahogany, 1635 x 315-370 x 35mm, vacuum kiln dry
31	1	Kiln dry Mahogany slab dressed 1635x315-370x35	and heat treated for quality assurance.
			Dressed Timber Slab - Mahogany, 1645 x 330-405 x 35mm, vacuum kiln dry
32	1	Kiln dry Mahogany slab dressed 1645x330-405x35	and heat treated for quality assurance.
		Kiln dry Spotted Gum slab dressed 2370x330-	Dressed Timber Slab - Spotted Gum, 2370 x 330-330 x 40mm, vacuum kiln
33	1	330x40	dry and heat treated for quality assurance.
		Kiln dry Spotted Gum slab dressed 2700x355-	Dressed Timber Slab - Spotted Gum, 2700 x 355-315 x 45mm, vacuum kiln
34	1	315x45	dry and heat treated for quality assurance.
		Kiln dry Spotted Gum slab dressed 2320x275-	Dressed Timber Slab - Spotted Gum, 2320 x 275-315 x 45mm, vacuum kiln
35	1	315x45	dry and heat treated for quality assurance.
		Kiln dry Spotted Gum slab dressed 2370x360-	Dressed Timber Slab - Spotted Gum, 2370 x 360-380 x 40mm, vacuum kiln
36	1	380x40	dry and heat treated for quality assurance.
		Kiln dry Spotted Gum slab dressed 2390x385-	Dressed Timber Slab - Spotted Gum, 2390 x 385-400 x 40mm, vacuum kiln
37	1	400x40	dry and heat treated for quality assurance.
		Kiln dry Spotted Gum slab dressed 2700x325-	Dressed Timber Slab - Spotted Gum, 2700 x 325-380 x 50mm, vacuum kiln
38	1	380x50	dry and heat treated for quality assurance.
		Kiln dry Spotted Gum slab dressed 2745x300-	Dressed Timber Slab - Spotted Gum, 2745 x 300-385 x 40mm, vacuum kiln
39	1	385x40	dry and heat treated for quality assurance.
		Kiln dry Spotted Gum slab dressed 2690x280-	Dressed Timber Slab - Spotted Gum, 2690 x 280-350 x 50mm, vacuum kiln
40	1	350x50	dry and heat treated for quality assurance.
		Kiln dry Mountain Ash slab dressed 3110x450-	Dressed Timber Slab - Mountain Ash, 3110 x 450-755 x 60mm, vacuum kiln
41	1	755x60	dry and heat treated for quality assurance.
			Dressed Timber Slab - Iron Bark, 3200 x 245-360 x 40mm, vacuum kiln dry
42	1	Kiln dry Iron Bark slab dressed 3200x245-360x40	and heat treated for quality assurance.
			Dressed Timber Slab - Iron Bark, 3200 x 360-410 x 40mm, vacuum kiln dry
43	1	Kiln dry Iron Bark slab dressed 3200x360-410x40	and heat treated for quality assurance.
			Dressed Timber Slab - Iron Bark, 3180 x 360-400 x 40mm, vacuum kiln dry
44	1	Kiln dry Iron Bark slab dressed 3180x360-400x40	and heat treated for quality assurance.

			Dressed Timber Slab - Iron Bark, 3200 x 400-475 x 40mm, vacuum kiln dry
45	1	Kiln dry Iron Bark slab dressed 3200x400-475x40	and heat treated for quality assurance.
			Dressed Timber Slab - Iron Bark, 3200 x 430-500 x 40mm, vacuum kiln dry
46	1	Kiln dry Iron Bark slab dressed 3200x430-500x40	and heat treated for quality assurance.
		Kiln dry MacracapraCypress dressed 2905x370-	Dressed Timber Slab - Pine, 2905 x 370-450 x 35mm, vacuum kiln dry and
47	1	450x35	heat treated for quality assurance.
		Kiln dry MacracapraCypress dressed 2800x380-	Dressed Timber Slab - Pine, 2800 x 380-470 x 35mm, vacuum kiln dry and
48	1	470x35	heat treated for quality assurance.
		Kiln dry Mountain Ash slab dressed 2820x400-	Dressed Timber Slab - Mountain Ash, 2820 x 400-450 x 35mm, vacuum kiln
49	1	450x35	dry and heat treated for quality assurance.
		Kiln dry Mountain Ash slab dressed 2820x400-	Dressed Timber Slab - Mountain Ash, 2820 x 400-475 x 30mm, vacuum kiln
50	1	475x30	dry and heat treated for quality assurance.
		Kiln dry Mountian Ash slab dressed 2700x400-	Dressed Timber Slab - Mountain Ash, 2700 x 400-440 x 30mm, vacuum kiln
51	1	440x30	dry and heat treated for quality assurance.
		Kilndry MacracapraCypress dressed 2430x315-340	Dressed Timber Slab - Pine, 2430 x 315-340 x 40mm, vacuum kiln dry and
52	1	x40	heat treated for quality assurance.
		Kilndry MacracapraCypress slab dressed	Dressed Timber Slab - Pine, 2470 x 350-350 x 40mm, vacuum kiln dry and
53	1	2470x350x40	heat treated for quality assurance.
		Kilndry MacracapraCypress dressed 2350x380-	Dressed Timber Slab - Pine, 2350 x 380-390 x 40mm, vacuum kiln dry and
54	1	390x40	heat treated for quality assurance.
		Kiln dry Mountain Ash slab dressed 2535x300-	Dressed Timber Slab - Mountain Ash, 2535 x 300-340 x 45mm, vacuum kiln
55	1	340x45	dry and heat treated for quality assurance.
		Kiln dry Mountain Ash slab dressed 2530x270-	Dressed Timber Slab - Mountain Ash, 2530 x 270-300 x 45mm, vacuum kiln
56	1	300x45	dry and heat treated for quality assurance.
		Kiln dry Mountain Ash slab dressed 2530x320-	Dressed Timber Slab - Mountain Ash, 2530 x 320-375 x 45mm, vacuum kiln
57	1	375x45	dry and heat treated for quality assurance.
		Kiln dry Mountain Ash slab dressed 2200x330-	Dressed Timber Slab - Mountain Ash, 2200 x 330-420 x 40mm, vacuum kiln
58	1	420x40	dry and heat treated for quality assurance.
		Kiln dry Mountain Ash slab dressed 2280x500-	Dressed Timber Slab - Mountain Ash, 2280 x 500-540 x 40mm, vacuum kiln
59	1	540x40	dry and heat treated for quality assurance.

		I	
		Kiln dry Mountain Ash slab dressed 2300x500-	Dressed Timber Slab - Mountain Ash, 2300 x 500-540 x 40mm, vacuum kiln
60	1	540x40	dry and heat treated for quality assurance.
		Kiln dry Mountain Ash slab dressed 1800x475-	Dressed Timber Slab - Spalted Mountain Ash, 1800 x 475-470 x 40mm,
61	1	470x40	vacuum kiln dry and heat treated for quality assurance.
		Kiln dry Hybrid MtAsh slab dressed 2100x400-	Dressed Timber Slab - Spalted Hybrid Mountain Ash, 2100 x 400-460 x 40mm,
62	1	460x40	vacuum kiln dry and heat treated for quality assurance.
			Dressed Timber Slab - Blue Gum, 1825 x 670-745 x 40mm, vacuum kiln dry
63	1	Kiln dry Blue Gum slab dressed 1825x670-745x40	and heat treated for quality assurance.
			Dressed Timber Slab - English Oak, 2080 x 440-495 x 35mm, vacuum kiln dry
64	1	Kiln dry English Oak slab dressed 2080x440-495x35	and heat treated for quality assurance.
			Dressed Timber Slab - Blue Gum, 1865 x 480-480 x 43mm, vacuum kiln dry
65	1	Kiln dry Blue Gum slab dressed 1865x480-480x43	and heat treated for quality assurance.
			Dressed Timber Slab - Blue Gum, 1830 x 600-630mm x 38mm, vacuum kiln
66	1	Kiln dry Blue Gum slab dressed 1830x600-630x38	dry and heat treated for quality assurance.
			Dressed Timber Slab - ironbark, 1720 x 300-250 x 40mm, vacuum kiln dry
67	1	Kiln dry ironbark slab dressed 1720x300-250x40	and heat treated for quality assurance.
			Dressed Timber Slab - Iron Bark, 2480 x 300-340 x 37mm, vacuum kiln dry
68	1	Kiln dry Iron Bark slab dressed 2480x300-340x37	and heat treated for quality assurance.
			Dressed Timber Slab - Iron Bark, 3200 x 250-280 x 35mm, vacuum kiln dry
69	1	Kiln dry Iron Bark slab dressed 3200x250-280x35	and heat treated for quality assurance.
			Dressed Timber Slab - Iron Bark, 3170 x 270-300 x 40mm, vacuum kiln dry
70	1	Kiln dry Iron Bark slab dressed 3170x270-300x40	and heat treated for quality assurance.
			Dressed Timber Slab - Iron Bark, 3200 x 210-320 x 35mm, vacuum kiln dry
71	1	Kiln dry Iron Bark slab dressed 3200x210-320x35	and heat treated for quality assurance.
			Dressed Timber Slab - Blackwood, 3635 x 265-320 x 35mm, vacuum kiln dry
72	1	Kiln dry Blackwood slab dressed 3635x265-320x35	and heat treated for quality assurance.
		Kiln dry Mountain Ash slab dressed 3650x235-	Dressed Timber Slab - Mountain Ash, 3650 x 235-240 x 35mm, vacuum kiln
73	1	240x35	dry and heat treated for quality assurance.
			Dressed Timber Slab - Blackwood, 3380 x 235-320 x 45mm, vacuum kiln dry
74	1	Kiln dry Blackwood slab dressed 3380x235-320x45	and heat treated for quality assurance.

			Dressed Timber Slab - Mt Ash, 3310 x 355-330 x 40mm, vacuum kiln dry and
75	1	Kiln dry Mt Ash slab dressed 3310x355-330x40	heat treated for quality assurance.
			Dressed Timber Slab - Red Gum, 3280 x 320-440 x 43mm, vacuum kiln dry
77	1	Kiln dry Red Gum slab dressed 3280x320-440x43	and heat treated for quality assurance.
			Dressed Timber Slab - Blackwood, 3370 x 225-300 x 40mm, vacuum kiln dry
78	1	Kiln dry Blackwood slab dressed 3370x225-300x40	and heat treated for quality assurance.
			Dressed Timber Slab - Blackwood, 3335 x 290-310 x 42mm, vacuum kiln dry
79	1	Kiln dry Blackwood slab dressed 3335x290-310x42	and heat treated for quality assurance.
			Dressed Timber Slab - Blackwood, 3300 x 210-310 x 42mm, vacuum kiln dry
80	1	Kiln dry Blackwood slab dressed 3300x210-310x42	and heat treated for quality assurance.
			Dressed Timber Slab - Blackwood, 2965 x 260-300 x 41mm, vacuum kiln dry
81	1	Kiln dry Blackwood slab dressed 2965x260-300x41	and heat treated for quality assurance.
			Dressed Timber Slab - Pine, 3015 x 300-370 x 40mm, vacuum kiln dry and
82	1	Kiln dry Pine slab dressed 3015x300-370x40	heat treated for quality assurance.
		Kiln dry MacracapraCypress dressed 3020x240-	Dressed Timber Slab - Pine, 3020 x 240-235 x 43mm, vacuum kiln dry and
83	1	235x43	heat treated for quality assurance.
		Kiln dry MacracapraCypress dressed 2900x270-	Dressed Timber Slab - Pine, 2900 x 270-310 x 42mm, vacuum kiln dry and
84	1	310x42	heat treated for quality assurance.
			Dressed Timber Slab - Blackwood, 3170 x 320-235 x 45mm, vacuum kiln dry
85	1	Kiln dry Blackwood slab dressed 3170x320-235x45	and heat treated for quality assurance.
		Kiln dry Spotted Gum slab dressed 2750x370-	Dressed Timber Slab - Spotted Gum, 2750 x 370-380 x 35mm, vacuum kiln
86	1	380x35	dry and heat treated for quality assurance.
			Dresesd Timber Slab - blackwood, 2400 x 240-245 x 35mm, vacuum kiln dry
87	1	Kiln dry Blackwood slab dressed 2400x240-245x35	and heat treated for quality assurance.
			Dressed Timber Slab - Mt Ash, 2625 x 305-360 x 40mm, vacuum kiln dry and
88	1	Kiln dry Mt Ash slab dressed 2625x305-360x40	heat treated for quality assurance.
			Dressed Timber Slab - Mt Ash, 2605 x 130-220 x 40mm, vacuum kiln dry and
89	1	Kiln dry Mt Ash slab dressed 2605x130-220x40	heat treated for quality assurance.
			Dressed Timber Slab - Blue Gum, 1810 x 330 - 475 x 40mm, vacuum kiln dry
90	1	Kiln dry Blue Gum slab dressed 1810x330-475x40	and heat treated for quality assurance.

		Dressed Timber Slab - spalted Blue Gum, 1785 x 230-325 x 35mm, vacuum
1	Kiln dry Blue Gum, slab dressed 1785x230-325x35	kiln dry and heat treated for quality assurance.
		Dressed Timber Slab - Birds eye Red Spotted Gum, 1465 x 330-355 x40mm,
1	Kiln dry Red Spotted Gum dressed 1465x330-355x40	vacuum kiln dry and heat treated for quality assurance.
		Dressed Timber Slab - Red Spotted Gum 1800 x 330-360 x 37mm, vacuum
1	Kiln dry Red Spotted Gum dressed 1800x330-360x37	kiln dry and heat treated for quality assurance.
		Dressed Timber Slab - Red Spotted Gum, 1635 x 325-360 x 35mm, vacuum
1	Kiln dry Red Spotted Gum dressed 1635x325-360x35	kiln dry and heat treated for quality assurance.
		Dressed Timber Slab - Cedar, 2020 x 225-320 x 45mm, vacuum kiln dry and
1	Kiln dry Cedar slab dressed 2020x225-320x45	heat treated for quality assurance.
		Dressed Timbe Slab - Red Spotted Gum, 1070 x 335-330 x 38mm, vacuum
1	Kiln dry Red Spotted Gum dressed 1070x335-330x38	kiln dry and heat treated for quality assurance.
		Dressed Timber Slab - Red Spotted Gum, 1300 x 275-280 x 35mm, vacuum
1	Kiln dry Red Spotted Gum dressed 1300x275-280x35	kiln dry and heat treated for quality assurance.
		Dressed Timber Slab - Messmate, 1455 x 365-390 x 49mm, vacuum kiln dry
1	Kiln dry Messmate slab dressed 1455x365-390x49	and heat treated for quality assurance.
		Dressed Timber Slab - Messmate, 1495 x 267-330 x 48mm, vacuum kiln dry
1	Kiln dry Messmate slab dressed 1495x267-330x48	and heat treated for quality assurance.
		Dressed Timber Slab - Red Spotted Gum, 1810 x 273-350 x 37mm, vacuum
1	Kiln dry Red Spotted Gum dressed 1810x273-350x37	kiln dry and heat treated for quality assurance.
		Dressed Timber Slab - Cedar, 1960 x 260-280 x 42mm, vacuum kiln dry and
1	Kiln dry Cedar slab dressed 1960x260-280x42	heat treated for quality assurance.
		Dressed Timber Slab - Cedar, 1970 x 280-260 x 42mm, vacuum kiln dry and
1	Kiln dry Cedar slab dressed 1970x280-260x42	heat treated for quality assurance.
		Dressed Timber Slab - Cedar, 2170 x 220-235 x 44mm, vacuum kiln dry and
1	Kiln dry Cedar slab dressed 2170x220-235x44	heat treated for quality assurance.
		Dressed Timber Slab - Cedar, 2220 x 250-230 x 45mm, vacuum kiln dry and
1	Kiln dry Cedar slab dressed 2220x250-230x45	heat treated for quality assurance.
		Dressed Timber Slab - Cedar, 2150 x 305 x 49mm, vacuum kiln dry and heat
1	Kiln dry Cedar slab dressed 2150x305x49	treated for quality assurance.
	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 Kiln dry Red Spotted Gum dressed 1465x330-355x40  1 Kiln dry Red Spotted Gum dressed 1800x330-360x37  1 Kiln dry Red Spotted Gum dressed 1635x325-360x35  1 Kiln dry Cedar slab dressed 2020x225-320x45  1 Kiln dry Red Spotted Gum dressed 1070x335-330x38  1 Kiln dry Red Spotted Gum dressed 1300x275-280x35  1 Kiln dry Messmate slab dressed 1455x365-390x49  1 Kiln dry Messmate slab dressed 1495x267-330x48  1 Kiln dry Red Spotted Gum dressed 1810x273-350x37  1 Kiln dry Cedar slab dressed 1960x260-280x42  1 Kiln dry Cedar slab dressed 2170x220-235x44  1 Kiln dry Cedar slab dressed 2220x250-230x45

		Kiln dry Spotted Gum slab dressed 2390x325-	Dressed Timber Slab - Spotted Gum, 2390 x 325-345 x 60mm, vacuum kiln
106	1	345x60	dry and heat treated for quality assurance.
		Kiln dry Spotted Gum slab dressed 2220x340-	Dressed Timber Slab - Spotted Gum, 2220 x 340-400 x 46mm, vacuum kiln
107	1	400x46	dry and heat treated for quality assurance.
			Dressed Timber Slab - Blue Gum, 1960 x 300-345 x 42mm, vacuum kiln dry
108	1	Kiln dry Blue Gum slab dressed 1960x300-345x42	and heat treated for quality assurance.
		Kiln dry Spotted Gum slab dressed 2300x250-230	Dressed Timber Slab - Spotted Gum, 2300 x 250-230 x 39mm, vacuum kiln
109	1	x39	dry and heat treated for quality assurance.
		Kiln dry Spotted Gum slab dressed 2240x225-	Dressed Timber Slab - Spotted Gum, 2240 x 225-395 x 50mm, vacuum kiln
110	1	395x50	dry and heat treated for quality assurance.
		Kiln dry Spotted Gum slab dressed 2345x370-	Dressed Timber Slab - Spotted Gum, 2345 x 370-365 x 58mm, vacuum kiln
111	1	365x58	dry and heat treated for quality assurance.
		Kiln dry Spotted Gum slab dressed 2400x325-	Dressed Timber Slab - Spotted Gum, 2400 x 325-320 x 40mm, vacuum kiln
112	1	320x40	dry and heat treated for quality assurance.
		Kiln dry Spotted Gum slab dressed 1970x360-	Dressed Timber Slab - Spotted Gum, 1970 x 360-280 x 36mm, vacuum kiln
113	1	280x36	dry and heat treated for quality assurance.
			Dressed Timber Slab - Cypress Pine, 3040 x 230-350 x 40mm, vacuum kiln dry
114	1	Kiln dry Cypress Pine slab dressed 3040x230-350x40	and heat treated for quality assurance.
		Kiln dry Spotted Gum slab dressed 3400x205-	Dressed Timber Slab - Spotted Gum, 3400 x 205-265 x 50mm, vacuum kiln
115	1	265x50	dry and heat treated for quality assurance.
		Kiln dry Spotted Gum slab dressed 3930x280-	Dressed Timber Slab - Spotted Gum, 3930 x 280-325 x 50mm, vacuum kiln
116	1	325x50	dry and heat treated for quality assurance.
		Kiln dry Spotted Gum slab dressed 3960x317-	Dressed Timber Slab - Spotted Gum, 3960 x 317-370 x 45mm, vacuum kiln
117	1	370x45	dry and heat treated for quality assurance.
		Kiln dry Spotted Gum slab dressed 3960x315-	Dressed Timber Slab - Spotted Gum, 3960 x 315-365 x 43mm, vacuum kiln
118	1	365x43	dry and heat treated for quality assurance.
		Kiln dry Spotted Gum slab dressed 3900x295-	Dressed Timber Slab - Spotted Gum, 3900 x 295-370 x 45mm, vacuum kiln
119	1	370x45	dry and heat treated for quality assurance.
			Dressed Timber Slab - Wattle, 3090 x 400-415 x 38mm, vacuum kiln dry and
120	1	Kiln dry Wattle slab dressed 3090x400-415x38	heat treated for quality assurance.

			Dressed Timber Slab - Wattle, 3125 x 410-430 x 40mm, vacuum kiln dry and
121	1	Kiln dry Wattle slab dressed 3125x410-430x40	heat treated for quality assurance.
		Kiln dry Spotted Gum slab dressed 3045x380-	Dressed Timber Slab - Spotted Gum 3045 x 380-525 x 40mm, vacuum kiln dry
122	1	525x40	and heat treated for quality assurance.
		Kiln dry Spotted Gum slab dressed 3950x530-	Dressed Timber Slab - Spotted Gum, 3950 x 530-490 x 35mm, vacuum kiln
123	1	490x35	dry and heat treated for quality assurance.
		Kiln dry Spotted Gum slab dressed 3940x420-	Dressed Timber Slab - Spotted Gum, 3940 x 420-530 x 35mm, vacuum kiln
124	1	530x35	dry and heat treated for quality assurance.
		Kiln dry Spotted Gum slab dressed 3165x400-	Dressed Timber Slab - Spotted Gum, 3165 x 400-360 x 40mm, vacuum kiln
125	1	360x40	dry and heat treated for quality assurance.
		Kiln dry MacracapraCypress dressed 3000x345-	Dressed Timber Slab - Cypress Pine, 3000 x 345-360 x 55mm, vacuum kiln dry
126	1	360x55	and heat treated for quality assurance.
		Kiln dry Spotted Gum slab dressed 2600x350-	Dressed Timber Slab - Spotted Gum, 2600 x 350-375 x 27mm, vacuum kiln
127	1	375x27	dry and heat treated for quality assurance.
		Kiln dry Spotted Gum slab dressed 2655x330-	Dressed Timber Slab - Spotted Gum, 2655 x 330-225 x 40mm, vacuum kiln
128	1	225x40	dry and heat treated for quality assurance.
		Kiln dry Spotted Gum slab dressed 2380x400-	Dressed Timber Slab - Spotted Gum, 2380 x 400-320 x 31mm, vacuum kiln
129	1	320x31	dry and heat treated for quality assurance.
		Kiln dry Spotted Gum slab dressed 3000x315-	Dressed Timber Slab - Spotted Gum (spalting), 3000 x 315-340 x 33, vacuum
130	1	340x33	kiln dry and heat treated for quality assurance.
			Dressed Timber Slab - Poplar, 2470 x 330-470 x 30mm, vacuum kiln dry and
131	1	Kiln dry Poplar slab dressed 2470x330-470x30	heat treated for quality assurance.